

Archicentre Cost Guide

Market Summary Overview

A `perfect storm' of low interest rates, competitive pricing and growing consumer confidence makes 2013 a great time to renovate or build a new home.

Interest rates are at historic lows and can be fixed to provide certainty around repayments for years to come. At the same time, sluggish domestic and small commercial construction sectors have resulted in builders and tradespeople pricing projects more and more keenly to keep active. Finally, consumer sentiment has improved steadily for the past 12 months suggesting that activity levels will start to pick up in the renovation and new home markets as confidence builds.

If you've been thinking about a home improvement project, a renovation, a new home or a small property development now might be the time to do it!

Call Archicentre on 1300 134 513 if you need a costed Design Concept or construction Quality Assurance inspections and visit our weekly blog (http://www.archicentre.com.au/blog/blog) for handy home design hints and tips.

Good luck with your project!

Repair & Maintenance Costs

| Concrete / Paving (\$) | | |
|--|---|--|
| n (per m²) | 49 - 64 | |
| Plain Concrete (per m) Coloured Concrete (per m ²⁾ | 55 - 73 63 - 87 | |
| Slate Impression on Concrete (per m²)72 | | |
| Stencilled Concrete (per m ²) 8 | | |
| | n (per m ²) Plain Concrete (per m) Coloured Concrete (per m ²⁾ n Concrete (per m ²) | |

Notes:

1. Based on average 75mm thickness and minimum area of $50m^2$ (An average driveway is about $70m^2$)

| DAMP - Rising Damp/Salt Damp (| \$) | |
|---------------------------------------|------------------|------------|
| Silicon Injected Damp-Proof | Single Brick | 71 - 82 |
| Course (per linear metre) | Double Brick | 120 - 145 |
| Replace Damp-Proof | Single Brick | 150 - 180 |
| Course (per linear metre) | Double Brick | 220 - 255 |
| Re-Point Mortar (per m ²) | | 7.8 - 17.6 |
| New Air Vents | Clay | 40 - 46 |
| | Galvanised Steel | 24 - 30 |

Notes:

2. Figures do not include re-plastering and other repair of wall surfaces.

Drainage (\$)

Drain to Stormwater or Sump

np e.g. 20m = 1,420 - 2,500

Notes:

- Prices vary depending on access and length. An average length could be 20 metres at approx \$71 - \$125 per m.
- 2. Does not include removal or replacement of hard surfaces over drains. Refer to "paving" category.

Materials Cost Index (by State)

The estimates in this guide are based on a selection of building materials at Sydney prices. Capital city adjustments are as follows: Brisbane +5%

| Srisbane | +5% |
|------------------|-------------|
| Melbourne | - 0.5% |
| Adelaide | +0% |
| Perth | +7% |
| Hobart | +2.5% |
| abour costs will | l also varv |

N

ŀ

Labour costs will also vary and regional areas will have increaseof 5% to 15%.

Notes: For new houses and major renovations, the cost structure is approximately as follows: Materials 46% Labour 33%

Fees, Levies, permits, taxes, GST 21% For country areas, add 5% to 15% to capital city figures.

| Fencing (\$) | | |
|-------------------------------|---------------|------------------|
| Perimeter Paling ¹ | 1600 - 1900mm | 57 - 100 (per m) |
| Front Picket | Various types | 51 - 152 (per m) |
| Gates | Single | 465 - 655 |
| | Double | 1,255 - 1,795 |
| Natas | | |

Notes:

1. There are many varieties of fencing throughout Australia. This guide bases its prices on the Victorian type of perimeter fence

| Floor Repair (\$ |) | |
|------------------|-------------------------------|-----------------------------|
| Framing | Joists & Bearers ¹ | 15 - 31 per lineal metre |
| Floorboards | From particleboard | 33 - 335 (per m²) |
| | to feature timbers | |
| | | |

Notes:

1. Joist spacings for a normal room are 450mm apart. Bearer spacings are around 1500mm apart. So a 20m² room would cost around \$1,185 - \$1,550 to replace.

- 2. Areas under 10m² will attract significantly higher installation costs.
- 3. Excludes demolition.

| Guttering & Downpipes (\$) | | |
|----------------------------|------------------|---------------|
| Zincalume | Per linear metre | 30 - 48 |
| | Whole house | 2,540 - 3,400 |
| Colorbond | Per linear metre | 36 - 56 |
| | Whole house | 3,000 - 4,020 |

Notes:

1. Prices are based on an average house with 70 linear metres of guttering and four downpipes, supplied and fitted.

©Archicentre Pty Ltd – Cost Guide. Please note that all cost estimates include GST. Tel. 1300 134 513 or go to www.archicentre.com.au May 2013

^{1.} The price increases in all categories depending on surface condition.

Archicentre Cost Guide

| Insulation (\$) | | | |
|----------------------------|------------------|-----------------------|---------------|
| Thermal Rating R2.0 - R2.5 | | | |
| Ceiling | Cellulose Fibre | (per m ²) | 4.5 - 6.7 |
| | Cellulose Fibre | House Lot | 680 - 1005 |
| | Fibreglass Batts | (per m ²) | 14.1 - 19 |
| | Fibreglass Batts | House Lot | 2,120 - 2,850 |
| Walls | R1.5 Batts | (per m ²) | 13.5 - 18.4 |
| | 430 Foil | (per m ²) | 6.2 - 8.5 |
| A.1 | | | |

Notes:

1. All figures based on 150m² house/roof with reasonable access.

Painting (\$)

| Failting (3) | | |
|-----------------------|---|-------------------------------|
| Exterior | Timber ¹ - Good Condition | 12 - 25 (per m ²) |
| | Timber - Bad Condition | 17 - 29 (per m ²) |
| | Brick ² | 12 - 15 (per m ²) |
| Interior ³ | per square metre | 11 - 24 |
| | Single Room 3m x 4m x 3m | 650 - 830 |
| | "Victorian Style" (per room) ⁴ | 1,800 - 2,300 |

Notes:

- 1. Painting of timber houses includes windows and door frames, plus the weatherboards.
- Painting of brick houses involves only windows & door frames.
- 3. Includes doors, skirting & architraves. Poor surface conditions can double these indicative prices, e.g. for extra coats of paint, and for extensive preparation.
- Includes special trims and a variety of colours. 4.
- Figures based on average size house (150m²) with reasonable structural condition.

Pest Management - Termite Treatment (\$)

| Dusting ¹ | 500 - 1,000 |
|---|---------------|
| Trenching ² | 2,500 - 6,000 |
| Drilling Trees (per tree) | 200 - 600 |
| Baiting ³ | 2,500 - 6,000 |
| Physical Barriers ^₄ | 2,000 - 6,500 |
| Timber Pest Inspection ^{5,6,7} , | 300 - 425 |
| | |

Notes

- 1. Involves dusting termite galleries with termiticide, which spreads thoughout colony.
- Involves digging a trench, flooding with termiticide and backfilling with soil which soaks up chemical, also applying under floor of building.
- 3. Involves attracting termites into bait boxes, then placing a termiticide to eliminate them.
- 4. These are more for new housing, with prices depending on methods, materials and extent of barriers.
- Termite, Borer, Wood Decay Fungi and other destructive timber pests. 5
- Figures based on 150m² house with reasonable access. 6.
- Sydney and Brisbane tend to be at the lower end of inspection prices, Melbourne at the higher end, and other metropolitan cities in the middle. However, any city's prices can be in the upper or lower extreme.

Plastering¹ (\$)

| i lustering (9) | | |
|---------------------------------------|--------------------------|-----------------|
| Contemporary Finish | Whole House | 11,500 - 14,800 |
| | Single Room 3m x 4m x 3m | 1,470 - 1,870 |
| "Victorian" Style Finish ² | Whole House | 21,300 - 32,600 |
| | Single Room 3m x 4m x 3m | 2,500 - 3,900 |
| Hard Plaster (per m ²) | | 40 - 80 |
| Standard Plasterboard (per m²) | | 20 – 40 |
| Notes: | | |

- Does not include demolition or removal of existing plaster walls.
- 2. Prices include elaborate cornices, architraves etc.
- 3. Figures based on 150m² house with reasonable access.

| Plumbing (\$) | |
|-------------------------------------|----------------|
| Renew Cold Water Pipes | 1,580 - 2,450 |
| Hot Water Service unit renewal | 1,180 - 1,630 |
| Complete house replumb ¹ | 7,650 - 12,140 |
| Notos: | |

1. Complete replumbing includes hot and cold water replacement, gutters and downpipes (using a house with 70 linear metres of guttering and four downpipes as standard). Should get guttering price separate. Difficult access increases the cost.

Restumping (Reblocking) (\$)

| Per Stump (Concret | e) | 60 - 100 Melb |
|----------------------------|--------------------------|----------------------|
| | | 230 - 400 Bris |
| Per Average | Timber (80-90 Stumps) | 5,200 - 9,000 Melb |
| (150m ²) House | | 14,100 - 23,500 Bris |
| | Brick Veneer (60 Stumps) | 4,300 - 6,200 Melb |
| | Solid Brick (40 Stumps) | 3,500 - 4,700 Melb |

Notes:

- 1. This category is only relevant in States where the houses have stumps as part of their subfloor structure (eg. excludes NSW)
- 2. Excludes repairs to doors, windows, replastering etc. which can need extensive repairs in some cases.
- 3. Extra to replace timber (ie. bearers, joists etc.) Allow about \$15-31 per linear metre.
- 4. Hourly rate for extra excavation (eg. if rock is found). Allow about \$60 per hour.
- 5. Brisbane stumps may be 2.5 metres high at 2.4m spacing and, say, 50 stumps per house. (Note: costs can vary dramatically.)
- 6. Poor subfloor access requires that floorboards be lifted and replaced at a carpenters hourly rate.
- Melbourne houses which are low to the ground (typically inner suburbs) require trenching for jack access under bearers, and could double the cost.

| Replacement l | Roofing (\$) | |
|-------------------------|-----------------|----------------------------|
| Tiles | Concrete | 8,600 - 10,500 |
| | | or 46 - 65m ² |
| | Terra Cotta | 10,600 - 12,690 |
| | | or 62 - 81m ² |
| Metal | Zincalume | 4,940 - 9,050 |
| | | or 33 - 52m ² |
| | Colorbond | 6,500 - 10,000 |
| | | or 42 - 62m ² |
| Slate | Strip & Re-Nail | 11,300 - 13,400 |
| | New Roof | 25,400 - 48,000 |
| | | or 155 - 330m ² |
| Repointing ² | | 780 - 1,600 |
| Rebedding ³ | | 950 - 1,900 |
| | | |

Notes:

1. Based on 150m² house with conventional pitch and simple roof lines.

- "Replacement" includes battens and new guttering but not ceiling joists. 2. "Repointing" means renewal of mortar around the outside of ridge and valley tiles.
- 3. "Rebedding" is removal of the tile & its old mortar and repositioning tile on new mortar.
- 4. Prices of 2 & 3 vary greatly depending on the number of ridges & valleys which the roof has.

©Archicentre Pty Ltd – Cost Guide. Please note that all cost estimates include GST. Tel. 1300 134 513 or go to www.archicentre.com.au May 2013

Archicentre Cost Guide

| Tiling (\$) | | |
|-------------|--------------------------------------|----------|
| Floor | Ceramic Tiling (per m ²) | 95 - 170 |
| | Quarry Tiling (per m ²) | 95 - 130 |
| | Vinyl Tiling (per m ²) | 41 - 100 |
| Wall | Ceramic Tiling (per m ²) | 90 - 162 |
| N 1 | | |

Notes

- 1. Prices vary significantly depending on selection of tiles and grout.
- 2. Figures include labour and material and assume application onto a reasonable sub-surface.

| Window Renewal (Domestic) (\$) |
|--------------------------------|
|--------------------------------|

| Awning | Aluminium | 240 - 500 (per m ²) |
|----------------|---------------|-------------------------------------|
| | Timber | 320 - 650 (per m ²) |
| Double Glazing | | add 105 - 315 (per m ²) |
| Skylight | eg. 600 x 600 | 460 - 1,000 |
| | | |

Notes:

- 1. Square metre rates for windows increase for smaller windows and decrease for larger windows.
- Double hung window costs are about 20% more, sashless are around 50% more.
- 3. Skylight cost includes shaft installation.

Underpinning (\$)

| Per Pad (or pin size) 1000x1000x900 | 1,300 - 2,500 |
|-------------------------------------|--------------------------|
| Per Pad (or pin size) 1000x1000x600 | 1,080 - 1,940 |
| Soil Test | 225 - 350 |
| Engineer's Report | 310 - 850 |
| Replacement of Bearers & Joists | 31 - 50 per lineal metre |
| Removal of Sub-Floor Soil | 180 - 355 (per m³) |
| Notes: | |

1. Higher prices are likely with more unstable soil that will require more excavation etc.

2. Soil Test and Engineer's Report costs can vary by 50%.

| Trade Labour Rates (\$/HR) | |
|----------------------------|---------|
| Brick Layer | 39 - 57 |
| Carpenter | 39 - 55 |
| Plumber and Gas Fitter | 46 - 61 |
| Plasterer | 39 - 56 |
| Painter | 39 - 56 |
| Electrician | 46 - 56 |
| Drainer | 46 - 60 |

Notes:

1. Figures include a supervision, profit and overhead margin of 10%-20%. This will vary with different contractors. These prices assume continuous work over some days. Smaller jobs' rates can cost up to 50% more.

Tree Removal (\$)

Cutting down & Removal per Tree

Notes:

- 300 1,600
- 1. Prices are extremely variable and depend on the following: tree height, trunk circumference, density of branches/foliage, access to site for travel towers, woodchippers & grinders, obstructions, buildings underneath, tree alive or dead. The range could be wider if all the factors counted against easy removal. Prices decrease for volume.

| Wiring (\$) | | |
|---------------------|-------------------------|---------------|
| Complete House Rewi | re 34 - 53 per m² | 5,800 - 8,750 |
| Other Common Items | Safety Switch | 280 - 400 |
| | Service Call | 78 - 130 |
| | Individual Power Points | 80 - 165 |

Notes:

- 1. Based on 150m² house with 15-18 power outlets, 15-18 light points, new mains and box circuit breaker switchboard with reasonable access.
- 2. Price increases significantly depending on accessibility.

Renovation & Extension Cost Guide

This part of the guide provides some typical costs for common renovation and extension projects.

EXTENSIONS

- 1. The indicative square metre rates are for basic shell only, and the extended roofline over the shell.
- 2. Prices assume good access to the site and relatively simple roof configuration.
- 3. Where the extension involves kitchens, bathrooms and laundries, you must also add the "additions to new construction" costs to the total, since these rooms need special fittings and fixtures.
- 4. The indicative costs do not include upgrading of services such as electrical, plumbing, heating or repairs and upgrades to parts of the existing house such as roof and gutter repairs, painting, damp, reblocking and pest treatment. You may also need to allow for paving and landscaping upgrades.

RENOVATIONS

Indicative costs assume that the rooms which are being renovated are in sound condition, needing no structural upgrade. Good access is also assumed.

A sample cost plan is provided overleaf.

| Renovations (\$) | |
|------------------------------|-----------------|
| Bathroom (ensuite is less) | 9,588 - 24,990 |
| Kitchen | 10,608 - 31,722 |
| Laundry | 4,182 - 9,894 |
| Bedroom | 4,080 - 8,466 |
| Single Room 20m ² | 4,794 - 10,302 |

Notes:

Prices include plastering, painting, wiring, plumbing, relocation or replacement of windows, the renewal of fittings and fixtures, cabinetry additions and surfacing eg. tiling. The estimates exclude stormwater drainage, paving, carpets, drapes, appliances or the construction of internal partitions to modify the layout of rooms. The upgrading standard is to medium-quality brick veneer or timber.

| Extensions - Ground Leve | l (\$) Shell only | |
|--|-------------------|-----------------|
| Single Room (20m ²) | | 17,544 - 38,148 |
| Larger Extension (per m ²) | Brick Veneer | 989 - 1,693 |
| | Solid Brick | 1,071 - 1,997 |
| | Weatherboard | 881 - 1,652 |

Notes:

1. These prices also apply to upper level extensions when built at the same time as the ground level.

2. Prices include removal of one or two walls at the junction of works.

3. Inclusions: Plasterboard walls, painted two colours maximum, with two or three power points per room.

4. Exclusions: Plumbing, joinery and surfacing of wet areas, sanitary fixtures.

WARNING ABOUT BUILDING PRICES

Building prices vary considerably, depending upon a number of factors such as:

- individual builders selected
- choice of materials
- extent of client involvement
- method of construction
- site accessibility
- extent of documentation
- size of the job; larger works achieve a more economical price per square metre
- quality of job required eg. project home or top of the range standard

MORE ACCURATE PRICING IS AVAILABLE

- 1. If your architect is preparing an Archicentre Design Concept Report for you, it will include cost estimates specific to your project.
- 2. Even better accuracy will be achieved after the Design Concept Report is developed and taken to competitive tender where actual prices are obtained. In many cases more than 30% of the construction cost can be saved and/or a better job achieved through your architect's preparing the tender documents and helping review the tenderers.

| Additions to New Construction (\$) | |
|------------------------------------|----------------|
| Bathroom | 5,610 - 18,462 |
| Kitchen | 7,650 - 28,662 |
| Laundry | 3,162 - 8,262 |
| | |

Notes:

In most respects this section is the same as the Renovation table. However, costs are less because no allowance needs to be made for repainting, replastering and replacing windows, since these have been included in the extension costs.

Extensions - Upper Level (\$) Shell only

| Single Room (20m ²) | | 27,132 - 47,022 |
|--|--------------|-----------------|
| Larger Extension (per m ²) | Brick Veneer | 1,305 - 2,203 |
| | Solid Brick | 1,468 - 2,499 |
| | Weatherboard | 1,142 - 1,723 |

Notes:

In addition to ground level costs, these second storey costs include demolition of existing ground level roof, minor structural or reinforcement of the ground floor area and minor restructuring of the remaining lower floor roofing configuration. (Major reinforcement of the lower storey and roof configuration changes is often required, but this cost variation cannot be accurately estimated without direct reference to the specific project.)

Sample Cost Plan for New Building, Renovation or Extensions

| 5,304 - 9,180 6,630 - 10,200 5,916 - 8,976 5,100 - 10,200 22,950 - 38,556 2,550 - 3,570 79,152 - 135,456 12,240 - 23,460 |
|--|
| 6,630 - 10,200 5,916 - 8,976 5,100 - 10,200 22,950 - 38,556 2,550 - 3,570 79,152 - 135,456 |
| 6,630 - 10,200 5,916 - 8,976 5,100 - 10,200 22,950 - 38,556 2,550 - 3,570 79,152 - 135,456 |
| 6,630 - 10,200 5,916 - 8,976 5,100 - 10,200 22,950 - 38,556 2,550 - 3,570 79,152 - 135,456 |
| 5,916 - 8,976 5,100 - 10,200 22,950 - 38,556 2,550 - 3,570 79,152 - 135,456 |
| 5,100 - 10,200 22,950 - 38,556 2,550 - 3,570 79,152 - 135,456 |
| 22,950 - 38,556 2,550 - 3,570 79,152 - 135,456 |
| 2,550 - 3,570 79,152 - 135,456 |
| 79,152 - 135,456 |
| 79,152 - 135,456 |
| , , |
| 12,240 - 23,460 |
| |
| 8,160 - 12,240 |
| 4,080 - 8,160 |
| Excluded - Excluded |
| Excluded - Excluded |
| 106,182 - 182,886 |
| |
| 4,080 - 7,140 |
| Excluded - Excluded |
| Excluded - Excluded |
| 4,080 - 7,140 |
| 20,400 - 46,920 |
| |
| Excluded - Excluded |
| 14,994 - 28,254 |
| |
| Excluded - Excluded |
| Excluded - Excluded Excluded - Excluded |
| |
| |

Estimations based on average suburban prices.



Archicentre Pty Ltd

ABN 34 001 866 520

If you would like to talk to an Archicentre building design and inspection expert please call Archicentre on **1300 134 513** or go to **www.archicentre.com.au**

Please note: The Archicentre Cost Guide has been prepared in conjunction with PLANBUILD ESTIMATING (0417 322 074) www.planbuildestimators.com.au

©Archicentre Pty Ltd – Cost Guide. Please note that all cost estimates include GST. Tel. 1300 134 513 or go to www.archicentre.com.au May 2013